

## Wissenschaftliche Veröffentlichungen

1. Kielstein, J.T., Beutel, G., Fleig, S., Steinhoff, J., Meyer, T.N., Hafer, C., Kuhlmann, U., Bramstedt, J., Panzer, U., Vischedyk, M., Busch, V., Ries, W., Mitzner, S., Mees, S., Stracke, S., Nürnberger, J., Gerke, P., Wiesner, M., Sucke, B., Abu-Tair, M., Kribben, A., Klause, N., Schindler, R., Merkel, F., Schnatter, S., Dorresteijn, E.M., Samuelsson, O., Brunkhorst, R.: Best supportive care and therapeutic plasma exchange with or without eculizumab in Shiga-toxin-producing *E. coli* O104:H4 induced haemolytic-uraemic syndrome: an analysis of the German STEC-HUS registry. *Nephrol Dial Transplant* 27 (10) 3807-15, 2012
2. Höhne, M., Lorscheider, J., von Bardeleben, A., Dufner, M., Scharf, M.A., Gödel, M., Helmstädt, M., Schurek, E.M., Zank, S., Gerke, P., Kurschat, C., Sivritas, S.H., Neumann-Haefelin, E., Huber, T.B., Reinhardt, H.C., Schermer, B., Fischbach, K.F., Benzing, T.: The BAR domain protein PICK1 regulates cell recognition and morphogenesis by interacting with Neph proteins. *Mol Cell Biol* 31(16) 3241-51, 2011
3. Teschner, S., Gerke, P., Geyer, M., Wilpert, J., Krumme, B., Benzing, T., Walz, G.: Leflunomide therapy for polyomavirus-induced allograft nephropathy: efficient BK virus elimination without increased risk of rejection. *Transplant Proc* 41(6) 2533-38, 2009
4. Gao, H., Sellin, L.K., Pütz, M., Nickel, C., Imgrund, M., Gerke, P., Nitschke, R., Walz, G., Kramer-Zucker, A.G.: A short carboxy-terminal domain of polycystin-1 reorganizes the microtubular network and the endoplasmic reticulum. *Exp Cell Res* 315 (7) 1157-70, 2009
5. Rumberger, B., Kreutz, C., Nickel, C., Klein, M., Lagoutte, S., Teschner, S., Timmer, J., Gerke, P., Walz, G., Donauer, J.: Combination of immunosuppressive drugs leaves specific "fingerprint" on gene expression in vitro. *Immunopharmacol Immunotoxicol* Mar 9:1-10, 2009
6. Romaker, D., Puetz, M., Teschner, S., Donauer, J., Geyer, M., Gerke, P., Rumberger, B., Dworniczak, B., Pennekamp, P., Buchholz, B., Neumann, H.P., Kumar, R., Gloy, J., Eckardt, K.U., Walz, G.: Increased expression of secreted frizzled-related protein 4 in polycystic kidneys. *J Am Soc Nephrol* 20 (1) 48-56, 2009
7. Gerke, P.: Rekurrenz der Grundkrankheit nach Nierentransplantation. *Nephrologe* 3 (2) 189-195, 2007
8. Rumberger, B., Vonend, O., Kreutz, C., Wilpert, J., Donauer, J., Amann, K., Rohrbach, R., Timmer, J., Walz, G., Gerke, P.: cDNA microarray analysis of adaptive changes after renal ablation in a sclerosis-resistant mouse strain. *Kidney Blood Press Res* 30 (6) 377-387, 2007
9. Ganner, A., Lee, Y.-M. A., Busche, C., Schmitt-Graeff, A., Encke, J., Walz, G., Gerke, P.: Successful liver transplantation in a kidney and pancreas allograft recipient with fulminant herpes simplex virus type 2 hepatitis. *Nephrol Dial Transplant* 22 (11) 3334-3337, 2007
10. Schultheiß, U.T., Göbel, H., von Gersdorff, G., Stubanus, M., Walz, G., Gerke, P.: Diarrhea and anuria in a recipient of a en-bloc infant kidney transplant. *Am J Kidney Dis* 50 (6) A41-43, 2007

11. Clorius, S., Technau, K., Watter, T., Schwertfeger, E., Fischer, K.-G., Walz, G., Gerke, P.: Nephrogenic systemic fibrosis following exposure to gadolinium-containing contrast agent. *Clin Nephrol* 68 (4) 249-252, 2007
12. Stubanus, M., Göbel, H., Rieg, S., Walz, G., Gerke, P.: Nephrotic syndrome and a papulosquamous eruption. *Am J Kidney Dis* 49 (6) A49-50, 2007
13. Steffl, D., Göbel, H., Groth, C., Fischer, K.-G., Kühn, W., Walz, G., Gerke, P.: Reanal AA amyloidosis with vascular predominance. *Am J Kidney Dis* 49 (2) A49-50, 2007
14. Geyer, M., Donauer, J., Pisarski, P., Drogmitz, O., Schulz-Huotari, C., Wisniewski, U., Gropp, A., Göbel, H., Gerke, P., Teschner, S., Walz, G., Wilpert, J.: Preemptive postoperative antigen-specific immunoabsorption in ABO-incompatible kidney transplantation: necessary or not? *Transplantation* 84 (12 Suppl) 40-43, 2007
15. Wilpert, J., Geyer, M., Teschner, S., Schaefer, T., Pisarski, P., Schulz-Huotari, C., Gropp, A., Wisniewski, U., Göbel, H., Gerke, P., Walz, G., Donauer, J.: ABO-incompatible kidney transplantation – proposal of an intensified apheresis strategy for patients with high initial isoagglutinine titers. *J Clin Apher* 22 (6) 314-322, 2007
16. Wilpert, J., Geyer, M., Pisarski, P., Drogmitz, O., Schulz-Huotari, C., Gropp, A., Goebel, H., Gerke, P., Teschner, S., Walz, G., Donauer, J.: On-demand strategy as an alternative to conventionally scheduled post-transplant immunoabsorptions after ABO-incompatible kidney transplantation. *Nephrol Dial Transplant* 22 (10) 3048-3052, 2007
17. Quack, I., Rump, L.C., Gerke, P., Walther, I., Vinke, T., Vonend, O., Grunwald, T., Sellin, L.: beta-Arrestin2 mediates nephrin endocytosis and impairs slit diaphragm integrity. *Proc Natl Acad Sci USA* 103 (38) 14110-14115, 2006
18. Gerke, P., Benzing, T., Höhne, M., Kispert, A., Frotscher, M., Walz, G., Kretz, O.: Neuronal expression and interaction with the synaptic protein CASK suggest a role for Neph1 and Neph2 in synaptogenesis. *J Comp Neurol* 498 (4) 466-475, 2006
19. Gerke, P., Sellin, L., Kretz, O., Petraschka, D., Zentgraf, H., Benzing, T., Walz, G.: NEPH2 is located at the glomerular slit diaphragm, interacts with nephrin and is cleaved from podocytes by metalloproteinases. *J Am Soc Nephrol* 16 (6) 1693-1702, 2005
20. Gerke, P., Huber, T.B., Sellin, L., Benzing, T., Walz, G.: Homodimerization and heterodimerization of the glomerular podocyte proteins nephrin and NEPH1. *J Am Soc Nephrol* 14 (4) 918-926, 2003
21. Huber, T.B., Schmidts, M., Gerke, P., Schermer, B., Zahn, A., Hartleben, B., Sellin, L., Walz, G., Benzing, T.: The carboxyl terminus of Neph family members binds to the PDZ domain protein zonula occludens-1. *J Biol Chem* 278 (15) 13417-13421, 2003
22. Sellin, L., Huber, T.B., Gerke, P., Quack, I., Pavenstädt, H., Walz, G.: NEPH1 defines a novel family of podocin interacting proteins. *FASEB J* 17(1):115-117, 2003
23. Gerke, P., Rump, L.C.: Leptospirosis – Three cases and a review. *Clin Nephrol* 60 (1) 42-48, 2003
24. Jabs, W.J., Lögering, B.A., Gerke, P., Kreft, B., Wolber, E.-M., Klänger, M.H.F., Fricke, L., Steinhoff, J.: The kidney as a second site of human C-reactive protein formation in vivo. *Eur J Immunol* 33 (1) 152-161, 2003

25. John, U., Rumpf, H.-J., Hanke, M., Gerke, P., Hapke, U.: Estimation of tobacco- or alcohol-attributable disease rates in national hospital care: a two-measures approach based on routine inpatient disease register data and systematic diagnosis of alcohol use disorders. *Alcohol Alcohol* 48 (4) 339-346, 2003
26. Nickel, C., Benzing, T., Sellin, L., Gerke, P., Karihaloo, A., Liu, Z.X., Cantley, L.G., Walz, G.: The polycystin-1 C-terminal fragment triggers branching morphogenesis and migration of tubular kidney epithelial cells. *J Clin Invest* 109(4):481-489, 2002
27. Siemens, H.J., Gerke, P., Steinhoff, J., Roth-Isigkeit, A., Wagner, K., Bruckner, S.: A prolonged APTT in a patient with a low grade malignant NHL - a case report. *Haematologica* 87(2), ELT08, 2002
28. Benzing, T., Gerke, P., Höpker, K., Hildebrandt, F., Kim, E., Walz, G.: Nephrocystin interacts with Pyk2, p130cas, and tensin and triggers phosphorylation of Pyk2. *P Natl Acad Sci USA* 98:9784-9789, 2001
29. Sibold, C., Ulrich, R., Labuda, M., Lundkvist, Å., Martens, H., Schütt, M., Gerke, P., Leitmeyer, K., Meisel, H., Krüger, D.H.: Dobrava hantavirus causes hemorrhagic fever with renal syndrome in central Europe and is carried by two different Apodemus mice species. *J Med Virol* 63:158-167, 2001
30. Schütt, M., Gerke, P., Meisel, H., Ulrich, R., Krüger, D.H.: Clinical characterization of Dobrava hantavirus infections in Germany. *Clin Nephrol* 55: 371-374, 2001
31. Gerke, P., Wichmann, D., Schönermarck, U., Schütt, M., Feldmann, H., Ksiazek, T.G., Rob, P.-M., Gross, W.L.: Lack of evidence for an association between hantavirus infections and Wegener's granulomatosis, microscopic polyangiitis, Churg-Strauss syndrome and giant-cell arteritis. *Rheumatology* 39: 1424-1425, 2000
32. Gerke, P., Filejski, W., Robins, H.I., Wiedemann, G.J., Steinhoff, J.: Nephrotoxicity of ifosfamide, carboplatin and etoposide (ICE) alone or combined with extracorporeal or radiant heat induced whole body hyperthermia. *J Cancer Res Clin Oncol* 126:173-177, 2000
33. Siemens, H.J., Gerke, P., Brückner, S., Steinhoff, J., Katus, H.A.: Erworbener Inhibitor gegen den Prothrombinkomplex: Differentialdiagnose einer verlängerten APPT bei einer Patientin mit einem niedrigmalignen B-Zell-NHL-(Marginalzonlymphom). In: I. Scharrer, W. Schramm (eds.) 29. Hämophilie-Symposium Hamburg 1998. Berlin: Springer-Verlag, 200-208, 2000
34. Gerke, P., Krüger, S., Steinhoff, J.: Henoch-Schönlein purpura, cryofibrinogenaemia and peripheral gangrene. *Nephrol Dial Transplant* 14:1746-1749, 1999
35. Reusche, E., Gerke, P., Krüger, S., Rohwer, J., Lindner, B., Rob, P.-M.: Langjähriges Psychosyndrom und Hirnstammsymptomatik bei unerkannter Dialyse-assozierter Enzephalopathie. *Dtsch Med Wochenschr* 124:176-181, 1999
36. Gerke, P., Hapke, U., Rumpf, H.-J., John, U.: Liegezeiten von Patienten mit Alkoholproblemen in Innerer Medizin und Chirurgie. *Versicherungsmedizin* 50:67-70, 1998
37. Gerke, P., Hapke, U., Rumpf, H.-J., John, U.: Alcohol-related diseases in general hospital patients. *Alcohol Alcohol* 32:179-184, 1997